



Original Rühle
Frozen Meat Cutter
Cut ice-cold



Original GR 50

Cutting and chopping
frozen products.



Four strong vertical knives

The knife beam cuts slices of 30 mm thickness, 45 times per minute. Four vertical blades divide the slices into 90 mm wide pieces. The strong blades effortlessly separate the frozen blocks. Depending on the amount of water, the product can be cut from between - 40 °C to + 80 °C.



Easy and convenient loading

Loading is performed at a convenient height of 970 mm. From this point a rail track aids transport into the Original GR 50. There, the product is taken over by a lifting device. It positions the cutting block onto the ideal drop height for a safe sliding towards the knife.



Mechanically driven

The knife beam is positioned at a perfect angle to the approaching cutting block. Consequently, cutting is very precise and has a high degree of repetitive accuracy. Power transmission is provided by a low - maintenance mechanical gear motor that ensures years of reliable performance.

Equipment

*Partition knife * Fold-away workspace * Mechanical drive system *
Lifting system * Discharging transport belt*

Versatile in products such as meat, fish, vegetables or butter, the Original GR 50 will cut virtually any semi- or deep - frozen product fast and reliable.




Material guide system

Bin contents are dumped out onto the flexible work surface. Often during production, the block ends up insecurely positioned. For this reason, a track turns the contents of the bin back onto their smooth bottom side. A vertical stop with an adjustable height can be set between 80 to 250 mm and guides the product securely and precisely.



Standard trolley level discharge conveyor belt

The end - product passes under the watchful eye of the operator at the proper working height. The space under the discharge conveyor belt is large enough to fit any size bin or a 200 l standard trolley. No more carrying of bins around. Assembly and leaning are easy tasks.



Safely, ergonomically and easily cleaned

Government - certified and designed in accordance with European standards, the Original GR 50 offers the highest possible safety features. Intuitive design ensures an easy operation. Daily cleaning is the easiest of tasks.

<i>Machine length</i>	<i>1.331 - 2.566 mm</i>	<i>Connected load</i>	<i>400 V, 5.7 kW, 16 A</i>
<i>Machine width</i>	<i>891 - 2.180 mm</i>	<i>Performance</i>	<i>2.500 kg / h</i>
<i>Machine height</i>	<i>1.490 - 1.862 mm</i>	<i>Cutting dmensions</i>	<i>30 x 90 x 250 mm max.</i>
<i>Machine weight</i>	<i>630 kg</i>	<i>Sections</i>	<i>45 per minute</i>
<i>Shaft length</i>	<i>680 mm</i>	<i>Cutting temperature</i>	<i>-40 °C - +80 °C</i>
<i>Shaft width</i>	<i>440 mm</i>		
<i>Shaft passage height</i>	<i>250 mm</i>		